H		of to ded Mee (Ne.)	De a (Ferrand		
DENR USE ONLY: Paper Re	eport Electronic Data - Email CD (da	ata loaded: Yes / No )	Doc/Event	#: nmental Monitoring	
Division of Waste Managen	nent - Solid Waste		2	Reporting Form	
	ation attached to it are "Public Records" as nation by any person upon request (NC G		l Statute 132-1. As su	ch, these documents are	
Instructions:	anh individually monitored unit				
Please type or print le					
<ul> <li>Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing</li> </ul>					
condition, etc.).  Attach a notification table	condition, etc.).  Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.				
<ul> <li>Attach a notification tab</li> </ul>	<ul> <li>Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).</li> </ul>				
Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.					
Solid Waste Monitoring D Name of entity submitting data (	ata Submittal Information laboratory, consultant, facility owner):				
SCS Engineers, PC					
	a formatting. Include data preparer's na	amo tolonhono numb	or and E-mail address	e.	
Name: Albert D. Glenn, PE		e: 704-504-3107	er aliu E-iliali auures	<b>5.</b>	
E-mail: aglenn@scsengineers.co					
Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)	
Anson County Landfill	2668 Haileys Ferry Road (SR-1801) Lilesville, NC 28091	04-01	.0500	May 18, 2015	
Environmental Status: (Check all that apply)  Initial/Background Monitoring  Detection Monitoring  Assessment Monitoring  Corrective Action					
Type of data submitted: (Check all that apply)  Solution Groundwater monitoring data from monitoring wells Groundwater monitoring data from private water supply wells Leachate monitoring data Surface water monitoring data  Other(specify)					
Yes, a notification of value monitoring points, dates, a preliminary analysis of the	face water standards were exceeded. s exceeding a groundwater or surface wat nalytical values, NC 2L groundwater stand cause and significance of any concentratic s exceeding an explosive methane gas lin ane gas limits.	ard, NC 2B surface wat on.	er standard or NC Sol	id Waste GWPS and	
Certification					
Furthermore, I have attached collevels, and a preliminary analys	he information reported and statement omplete notification of any sampling va- is of the cause and significance of con- ing any false statement, representation	alues meeting or exce centrations exceeding	eeding groundwater g groundwater stand	standards or explosive gas ards. I am aware that there	
David Garrett, PG, PE	Project Manager	919-662			
Facility Representative Name (Print)	Title	(Area Co	de) Telephone Number		
dgarrett@scsengineers.cor	Ogdally Agraed by digarret@scaragraeses corn  ON omitigaret@scaragraeses corn Reason Regulatory submittal Date: 2016 01 04 18 15 56 -05007		Affix NC Licensed/	Professional Geologist Seal	
Signature	D	ate	*****	U CARO	
2520 Whitehall Park Drive, Suite 45	0; Charlotte, NC 28273		and Sop	CENSOL	
Facility Representative Address			[ ()	1 39 Ay ON	
C-1837					

NC PE Firm License Number (if applicable effective May 1, 2009)